Journal of Obstetrics and Gynaecology (1993) 13, 490–500

Index

Volume 13/1993

Abdominal haemorrhage, spontaneous idiopathic, 196
Abdominopelvic actinomycosis associated with cervical circlage, 292
Abukhalil I.: see Warwick A.
Actinomycosis, abdominopelvic, associated with cervical circlage, 292
Active management of labour, intra-uterine pressure and, 433
Adam A. E.: see Nordin A. J.
Adeleye J. A.: see Idrisa A.
Adnexal torsion in early pregnancy, laparoscopic treatment of, 178
Ah-Moye M.: see Taylor A. V. G.
Ahrons S.: see Thorsen P.
Alcohol consumption and smoking in early pregnancy, 215
Algwiser A.: see Mesleh R.
Allman A. C. J. and Macaulay J. H.: Vulval leiomyosarcoma presenting as a recurrent Bartholin's abscess, 212
Al-Najashi S.: see El-Yahia A.
Al-Sebai M. A. H.: Evening primrose oil: a possible new treatment for vulval dystrophy, 193
Al-Sebai M. A. H. and Manasse P. R.: Induction of labour in primigravid women with an unfavourable cervix: a prospective comparative study of prostaglandin E_2 vaginal tablets and gel, 112
Amniocentesis, early, measurement of amniotic fluid replacement, 157
Amniotic fluid in labour, absent, following spontaneous or artificial rupture of the membranes, 12
Anderson W. R.: see Payne E.
Angiomyxoma, aggressive, of the pelvic soft parts, 142
Angiomyxoma, aggressive, vulval, masquerading as labial cyst, 385
Aspirin, low dose, thromboelastography as a measure of coagulation, 222
Aswad N. K.: see Awwad J. T.
Attapattu J. A. F.: see Prussia P. R.
Auscultation, routine, antenatal fetal heart rate, 111
Awwad J. T., Azar G. B., Aswad N. K., Suidan F. J. and Karam K. S.: Uterine rupture in pregnancy caused by blast injury, with fetal survival, 448
Awwad J. T., Khalil A. M., Matar M. H. and Karam K. S.: A vaginal cast, 206
Azathioprine, long term, and widely disseminated cervical carcinoma, 386
Azar G. B.: see Awwad J. T.
Badawi H. I. and Kennedy C. R.: Intrahepatic cholestasis of pregnancy — an unusual presentation, 37
Bajolet O.: see Gabriel R.
Baker P., Wood A. and Lever P.: Fetal macrosomia: an analysis of the possible causes of the increasing incidence, 428
Bako A.: see Onwudiegwu U.
Bannerjee S.: see Robson P. J.
Baravilala W. R.: see Cham C. W.
Barbazan M. J., Neyro J. L., Montoya F., Barrenetxea G. and Rodriguez Escudero F. J.: Ruptured endometrioma during pregnancy, 40
Barik S.: see Meniru G. I
Bark M.: see Onwude J. L.
Barnes D. G., Gibbons D. R. S., MacKenzie T. H. M., McCullough W. L., Clark A. D., Millar J. G. B., Cockroft J., Elder M. G. and Hawkins D. F.: Phaeochromocytoma in late pregnancy: synchronous or delayed tumour resection after delivery by caesarean section?, 95
Barrenetxea G.: see Barbazan M. J.
Bastible A.: see Johanson R. B.
Batchelor A.: see Lilford R. J.
Bates J.: see Onwude J. L.
Batool T. and Griffiths M.: Heterotopic pregnancy presenting in the third trimester, 447
Beattie R. B.: see Yoong W. C.
Beeby A. R., Keating P. J., Wagstaff T. I., Wilson E. M. J., Sims P. F., Manning P. J. and Wadehra V.: The quality and accuracy of cervical cytology: a study of five sampling devices in a colposcopy clinic, 276
Bennett C. P. and Brown R.: Recurrence of umbilical cord haematoma in a sibling, 115
Bennett S. J.: Pregnancy following hysterectomy, 117
Benson J. R. and Hooper A. A.: Small bowel volvulus in the puerperium, 183
Berget A.: see Moller L. M. A.
Bidgood K. A.: see Nordin A. J.
Biliary cirrhosis, primary, in pregnancy, 177
Bladder, endometriosis of, 453
Blake J. M., Chambers L. F., Roberts J. G. and Webber C. E.: A one-year prospective comparison of calcium supplementation, low dose continuous, and moderate dose cyclical oestrogen and progestagen replacement therapy in the protection of bone mass, 185
Bombiere L.: see Sharif K.
Bonnar J.: see Stratton J.

Journal of Obstetrics and Gynaecology (1993) 13, 490–500

Index

Volume 13/1993

Abdominal haemorrhage, spontaneous idiopathic, 196
Abdominopelvic actinomycosis associated with cervical circlage, 292
Abukhalil I.: see Warwick A.
Actinomycosis, abdominopelvic, associated with cervical circlage, 292
Active management of labour, intra-uterine pressure and, 433
Adam A. E.: see Nordin A. J.
Adeleye J. A.: see Idrisa A.
Adnexal torsion in early pregnancy, laparoscopic treatment of, 178
Ah-Moye M.: see Taylor A. V. G.
Ahrons S.: see Thorsen P.
Alcohol consumption and smoking in early pregnancy, 215
Algwiser A.: see Mesleh R.
Allman A. C. J. and Macaulay J. H.: Vulval leiomyosarcoma presenting as a recurrent Bartholin's abscess, 212
Al-Najashi S.: see El-Yahia A.
Al-Sebai M. A. H.: Evening primrose oil: a possible new treatment for vulval dystrophy, 193
Al-Sebai M. A. H. and Manasse P. R.: Induction of labour in primigravid women with an unfavourable cervix: a prospective comparative study of prostaglandin E_2 vaginal tablets and gel, 112
Amniocentesis, early, measurement of amniotic fluid replacement, 157
Amniotic fluid in labour, absent, following spontaneous or artificial rupture of the membranes, 12
Anderson W. R.: see Payne E.
Angiomyxoma, aggressive, of the pelvic soft parts, 142
Angiomyxoma, aggressive, vulval, masquerading as labial cyst, 385
Aspirin, low dose, thromboelastography as a measure of coagulation, 222
Aswad N. K.: see Awwad J. T.
Attapattu J. A. F.: see Prussia P. R.
Auscultation, routine, antenatal fetal heart rate, 111
Awwad J. T., Azar G. B., Aswad N. K., Suidan F. J. and Karam K. S.: Uterine rupture in pregnancy caused by blast injury, with fetal survival, 448
Awwad J. T., Khalil A. M., Matar M. H. and Karam K. S.: A vaginal cast, 206
Azathioprine, long term, and widely disseminated cervical carcinoma, 386
Azar G. B.: see Awwad J. T.
Badawi H. I. and Kennedy C. R.: Intrahepatic cholestasis of pregnancy — an unusual presentation, 37
Bajolet O.: see Gabriel R.
Baker P., Wood A. and Lever P.: Fetal macrosomia: an analysis of the possible causes of the increasing incidence, 428
Bako A.: see Onwudiegwu U.
Bannerjee S.: see Robson P. J.
Baravilala W. R.: see Cham C. W.
Barbazan M. J., Neyro J. L., Montoya F., Barrenetxea G. and Rodriguez Escudero F. J.: Ruptured endometrioma during pregnancy, 40
Barik S.: see Meniru G. I
Bark M.: see Onwude J. L.
Barnes D. G., Gibbons D. R. S., MacKenzie T. H. M., McCullough W. L., Clark A. D., Millar J. G. B., Cockroft J., Elder M. G. and Hawkins D. F.: Phaeochromocytoma in late pregnancy: synchronous or delayed tumour resection after delivery by caesarean section?, 95
Barrenetxea G.: see Barbazan M. J.
Bastible A.: see Johanson R. B.
Batchelor A.: see Lilford R. J.
Bates J.: see Onwude J. L.
Batool T. and Griffiths M.: Heterotopic pregnancy presenting in the third trimester, 447
Beattie R. B.: see Yoong W. C.
Beeby A. R., Keating P. J., Wagstaff T. I., Wilson E. M. J., Sims P. F., Manning P. J. and Wadehra V.: The quality and accuracy of cervical cytology: a study of five sampling devices in a colposcopy clinic, 276
Bennett C. P. and Brown R.: Recurrence of umbilical cord haematoma in a sibling, 115
Bennett S. J.: Pregnancy following hysterectomy, 117
Benson J. R. and Hooper A. A.: Small bowel volvulus in the puerperium, 183
Berget A.: see Moller L. M. A.
Bidgood K. A.: see Nordin A. J.
Biliary cirrhosis, primary, in pregnancy, 177
Bladder, endometriosis of, 453
Blake J. M., Chambers L. F., Roberts J. G. and Webber C. E.: A one-year prospective comparison of calcium supplementation, low dose continuous, and moderate dose cyclical oestrogen and progestagen replacement therapy in the protection of bone mass, 185
Bombiere L.: see Sharif K.
Bonnar J.: see Stratton J.

Book reviews
Aids to obstetrics and gynaecology for MRCOG, 298
Atlas of histopathology of the cervix uteri, 299
Case presentations in obstetrics and gynaecology, 298
Coloproctology and the pelvic floor, 214
CTG in practice, 214
Essential obstetrics and gynaecology, 488
Fetal monitoring in practice, 399
Getting pregnant. The complete guide to fertility and infertility, 489
Gynecologic oncology, 148
Haemostasis and thrombosis in obstetrics and gynaecology, 413
Illustrated textbook of gynaecology, 399
Lasers in gynaecology, 399
Nutrition during pregnancy and lactation. An implementation guide, 489
Obstetrics, 148
Obstetrics and gynaecology for postgraduates, 413
Obstetrics. Normal and problem pregnancies, 147
Ovarian cancer 2. Biology, diagnosis and management, 147
Ovarian secretions and cardiovascular and neurological function, 148
Pediatric and adolescent gynecology, 148
Recent advances in obstetrics and gynaecology. 17., 147
The human placenta, 488
Twins and higher multiple births. A guide to their nature and nurture, 298
Boylan P.: see Byrne B. M.
Boyle A. H. W., Kulkarni R. and Ellerby R.: Aggressive angiomyxoma of the pelvic soft parts, 142
Brandell L.: see Vinals F.
Breech presentation, management of in a district general hospital, 437
British Fertility Society, proceedings of, 388
Brown L.: see Narayan H.
Brown R.: see Bennett C. P.
Bruce A. D.: see Prussia P. R.
Bullough C. H. W.: see Irons D. W.
Buytaert P.: see van Dam P. A.
Byrne B. M., Keane D., Boylan P. and Stronge J. M.: Intra-uterine pressure and the active management of labour, 433
Byrne D.: see Katesmark M.
Byrne P., Ogueh O., Wilson J. and Sant-Cassia L. J.: Outpatient loop diathermy cone biopsy, 130

Caesarean sections, routine crossmatching is not necessary for all, 238
Caesarean sections, repeated, 20
Calcitonin, in prevention and treatment of osteoporosis, supplement 1, S11
Calcium and exercise in prevention of postmenopausal osteoporosis, supplement 1, S5
Calcium supplementation, low dose continuous, and moderate dose cyclical oestrogen and progestagen replacement therapy in the protection of bone mass, a one-year prospective comparison, 185
Campbell S.: see Soothill P. W.
Cantrell, prenatal diagnosis of pentalogy of, 36
Carey A. J.: see Goh J. T. W.
Carter P. G., Harris V. G. and Wilson P. O. G.: The management of the abnormal cervical smear: a comparative study between loop diathermy alone and laser ablation preceded by colposcopically directed punch biopsy, 59
Castelli R.: see Pachì A.
Cervical carcinoma, invasive, associated with pregnancy, 91
Cervical carcinoma, widely disseminated in a woman taking long term azathioprine, 386
Cervical circlage, abdominopelvic actinomycosis associated with, 292
Cervical circlage: experience at the University College Hospital, Ibadan, 82
Cervical circlage, oral salbutamol after, 34
Cervical cytology, borderline: a risk factor for dyskaryosis, 365
Cervical cytology, the quality and accuracy of: a study of five sampling devices in a colposcopy clinic, 276
Cervical endometriosis following cone biopsy, 144
Cervical lesions, excised — correlation between colposcopic and histological diagnosis with loop diathermy, 462
Cervical pre-malignant conditions, a double blind placebo-controlled trial of EMLA cream for the relief of pain associated with laser vapourisation for, 370
Cervical smear, abnormal: a comparative study between loop diathermy alone and laser ablation preceded by colposcopically directed punch biopsy, 59
Cervical smears classified as Papanicolaou Class II between 1986 and 1989 in Barbados, a critical review, 201
Cervix, unfavourable in primigravid women, induction of labour, 112
Cham C. W., Rahamim J., Cham K. M., Baravilala W. R. and Morsman J. M.: Carcinoma of the oesophagus — an unusual cause of vomiting in pregnancy, 352
Cham K. M.: see Cham C. W.
Chambers L. F.: see Blake J. M.
Chappatte O. A., Eykyn S. J. and Kenney A.: Abdominopelvic actinomycosis associated with cervical circlage, 292
Chard T.: see Ramrekersingh-White P.
Charters D. W.: see Goh J. T. W.
Chenoy R.: see Warwick A.
Cheung N. Y.: see Ngan H. Y. S.
Chia K. V., Fayle R. J. S. and Ferriman E.: Intraligamentary pregnancy, 254
Chia K. V. and Kingston R. E.: Widely disseminated cervical carcinoma in a woman taking long term azathioprine, 386
Chia K. V. and Wildsmith P. H.: Ovarian pregnancy: incidental finding at laparoscopic sterilisation, 207
Chippaux C.: see Gabriel R.
Cholestasis, intrathepatic, at pregnancy, 37
Chromosome, mosaic dicentric Y, in a female, 266
Cietak K. A.: see Payne E.
Cirrhosis, primary biliary and pregnancy, 177
Clark A. D.: see Barnes D. G.

Clarke P.: see Sharif K.
Cocilovo G.: see Vesce F.
Cockroft J.: see Barnes D. G.
Colposcopy clinic, counselling at and the emotional well-being of women with a positive smear, 459
Coltart T. M.: see Smith R. N. J.
Co-existent diverticulitis and enterobius vermicularis salpingitis, 205
Cone biopsy of cervix, do vasoconstrictors reduce morbidity?, 202
Cone biopsy of cervix, ornipressin in, 71
Cone biopsy in the older woman, 55
Coore J. R., Selby C. and Marenah C. B.: Consistency of the estimation of the 'odds ratio' for Down's syndrome with increasing gestational age, 9
Corbett J.: see Roy M.
Coxhead D. and Thomas E. J.: Familial inheritance of endometriosis in a British population. A case control study, 42
Critchlow J. D., Matson P. L., Wada I. and Lieberman B. A.: Pregnancy following partial zona dissection, 253
Crossmatching, routine, not necessary for all caesarean sections, 238
Crowther D.: see Murphy D.
Cytotoxic chemotherapy, glutathione content of ovarian tumour biopsies taken before or after, 126

Darling M.: see Salha O.
Dave K. C.: see Yoong W. C.
Davies-Humphreys J.: see Sarkar P. K.
Daw E. and Gbolade B.: Episiotomy scar endometriosis, 205
Daw E. G.: see Gbolade B. A.
De Catte L., Mares C., Verjans M. and Fourneau C.: Prenatal diagnosis of pentalogy of Cantrell, 36
de Neubourg D.: see van Dam P. A.
Diabetes mellitus, insulin-dependent: umbilical artery blood flow in pregnancies complicated by, 423
Diabetic pregnancies, obstetric outcome of 214, 86
Donnai P.: see Rosamilia A.
Doppler studies, utero-placental, prediction of severity of pre-eclampsia by, 99
Doppler ultrasound in expectant management of post dates pregnancy, 16
Doppler waveform analyses in small for dates fetuses, 227
Doron A.: see Ezra Y.
Down's syndrome with increasing gestational age, consistency of the estimation of the 'odds ratio', 9
Doyle M., O'Brien S. and Johanson R.: Consultant management policies for spontaneous (preterm and term) rupture of the membranes before the onset of labour: results of a nationwide postal survey, 315
Doyle P. M.: see Warwick A. P.
Dutton S. J., Owens J. R. and Harris F.: Smoking and alcohol consumption in early pregnancy, 215
Dysgerminoma — a 10 year retrospective study of clinical features and mode of treatment, 378

Eastell R.: The role of calcium and exercise in the prevention of postmenopausal osteoporosis, supplement 1, S5
Economy, depressed, effect on maternal health services in Nigeria, 311
Ectopic pregnancy in an undescended fallopian tube, laparoscopic treatment of, 291
Edozien L. C. and Marinho A. O.: Cervical circlage: experience at the University College Hospital, Ibadan, 82
Egan M. J.: see Morgan P. R.
Elder M. G.: see Barnes D. G.
El-Lakany N. E.: see Harlow R. A.
Ellerby R.: see Boyle A. H. W.
Ellis J. D.: see Slade R. J.
Elstein M.: see Macrow P. J.
El-Yahia A., Rahman M. S., Rahman J. and Al-Najashi S.: Obstetric outcome of 214 diabetic pregnancies, 86
Emens J. M.: see Yoong W. C.
EMLA cream for pain relief with laser vapourisation of cervix, 370
Emotional wellbeing following miscarriage, 262
Emotional wellbeing of women with an abnormal smear, 459
Endometrial cancer before age 35 and subsequent use of hormone replacement therapy, 468
Endometrial carcinoma associated with polycystic ovarian syndrome, 471
Endometrial carcinoma diagnosed by trans-cervical resection of endometrium, 294
Endometrial resection, strategy to prevent excess fluid absorption, 47
Endometrial resection, haematometra, haematosalpinx and endometriosis following, 290
Endometrial sampling, an evaluation of the Gynocheck, 198
Endometrioma, ruptured during pregnancy, 40
Endometriosis, episiotomy scar, 205
Endometriosis, familial inheritance of in a British population, 42
Endometriosis of the bladder: a report of eight cases, 453
Endometriosis, ureteric obstruction, 143
Endosalpingiosis of the omentum, 293
Eosinophilia, tumour associated tissue, in invasive carcinoma of cervix, significance, 64
Epidural analgesic techniques with respect to the outcome of labour, a comparison, 171
Episiotomy scar endometriosis, 205
Erskine K. J.: see Stratton J.
Erythrocyte mean cellular volume and γ-glutamyl transferase activity in screening for alcohol abuse in women presenting with spontaneous miscarriage, 175
Etidronate, clinical experience with, supplement 1, S8
Evening primrose oil, a possible new treatment for vulval dystrophy, 193
Exercise and calcium in prevention of postmenopausal osteoporosis, supplement 1, S5
Extractor cups for assisted delivery, a random allocation comparison of silicone and santoprene soft vacuum, 337
Eykyn S. A.: see Chappatte O. A.

Ezra Y., Samueloff A., Doron A., Zajicek G., Weinstein D. and Mor-Yosef S.: Repeated caesarean sections, 20

Fallopian tube, isolated torsion of following sterilisation, 208
Fallopian tube, undescended, ectopic pregnancy in, 291
Fan Z. F., Xiou Z. Y., Wei C. Y. and Lee R. V.: Neonatal macrosomia and the obstetric complications of macrosomia as markers of socio-economic change in China: a retrospective study in one hospital, 163
Farina A.: see Vesce F.
Farkas A. G., Shepherd J. H. and Woodhouse C. R. J.: Hysterosacropexy for uterine prolapse with associated urinary tract abnormalities, 358
Farkas A. G.: see Ramrekersingh-White P.
Fay T. N., Magan V., Roberts D. and Hann A. M.: Umbilical artery Doppler waveform analyses in small for dates fetuses, 227
Fayle R. J. S.: see Chia K. V.
Ferrero A.: see Pachì A.
Ferriman E.: see Chia K. V.
Ferryman S.: see Warwick A.
Fertilisation in vitro, pre-treatment of human spermatozoa with pentoxifylline to stimulate, 74
Fertility regulation, an assessment of in persons with a learning disability (mental handicap), 361
Fertility regulation, referrals of persons with a learning disability (mental handicap), 361
Fetal cardiac dysfunction, elevated preload index and hydrocoele as possible diagnostic signs, 448
Fetal heart rate, prolonged — abnormality associated with probable fetal viral infection, hydrops and subsequent cerebral palsy, 450
Fetal heart rate, routine antenatal auscultation, 111
Fetal macrosomia: an analysis of the possible causes of the increasing incidence, 428
Fetal viral infection, prolonged abnormalities of fetal heart rate, 450
Fetal membrane sweeping for stimulation of labour in prolonged pregnancy, 235
Fetal movements, maternal serum α-fetoprotein and the mode of death in unexplained stillbirth, 233
Feyi-Waboso P. A. and Sims P. F.: Cone biopsy in the older woman, 55
Fibromyoma in the absence of the Mullerian system, 384
Fibromyomata, endometrial resection after GnRH analogue therapy — a possible new treatment, 69
Fibromyomata of the uterus, GnRH-agonist in the treatment of, 68
Fibrous mesothelioma of the round ligament, localised, 140
Fitzpatrick C., McKenna P. and Kelly P.: Localised fibrous mesothelioma of the round ligament, 140
Flannelly G. M., Turner M. J., Rassmussen M. J. and Stronge J. M.: Rupture of the uterus in Dublin: an update, 440
Fogelman I.: see Rymer J. M.
Fogelman I. and Ryan P. J.: Clinical experience with etidronate, supplement 1, S8
Fourneau C.: see De Catte L.
Fox B. W.: see Murphy D.
Frazer M. I.: see Goh J. T. W.
Frost N.: see Rosamilia A.
Fujino Y.: see Takebayashi T.

Gabriel N., Murray A., Ritchie E. and Jenkins D.: Acute unilateral proptosis in labour, 256
Gabriel R., Quereux Idi N., Bajolet O., Jolly D., Chippaux C. and Wahl P.: Gardnerella vaginalis in pregnant women: A prospective intrapartum and postpartum study, 1
Gall bladder, rupture of in pregnancy, 445
Garcia-Sanchez J., Gaztambide S. and Vazquez J. A.: Hypoglycaemic coma in the puerperium as the first manifestation of an insulinoma, 182
Gardnerella vaginalis in pregnant women: A prospective intrapartum and postpartum study, 1
Garq V.: see Matson P. L.
Gaztambide S.: see Garcia-Sanchez J.
Gaughan B.: see O'Connor R. A.
Gbolade B. A.: Hypoglycaemic coma in pregnancy and herbal medication (correspondence), 146
Gbolade B. A.: Vulval aggressive angiomyxoma masquerading as a simple labial cyst, 385
Gbolade B. A. and Daw E. G.: Strangulated umbilical hernia in pregnancy, 353
Gbolade B.: see Daw E.
Gbolade B.: see Ghaly A. F. F.
Gee H.: see Sharif K.
Geetha T.: see Warwick A. P.
Genital sarcoma: a seven year experience in a district general hospital, 282
Ghaly A. F. F. and Gbolade B. A.: Urethrocliesis: treatment for genuine stress incontinence? A retrospective study, 259
Giancotti A.: see Pachì A.
Gibbons D. R. S.: see Barnes D. G.
Gillan J.: see Gleeson R. P.
Gillan J. E.: see Qureshi N. S.
Gillmer M. D. G.: see Nicholson S. C.
Gleeson R.: see Salha O.
Gleeson R. P., Salha O. and Gillan J.: Endometrial carcinoma diagnosed by trans-cervical resection of endometrium, 294
Glutomyl-transferase activity in screening for alcohol abuse, with spontaneous miscarriage, 175
Glutathione content, ovarian tumour biopsies taken before or after cytotoxic chemotherapy, 126
Goh J. T. W., Carey A. J., Frazer M. I. and Charters D. W.: Ornipressin in cold knife cone biopsy of the cervix, 71
Gordon H.: see Tarrant M. J.
Granular cell tumour, inguinal, with epithelial hyperplasia, 210
Griffiths M. and Reginald P. W.: Use of a planimetric ultrasound method to measure replacement of amniotic fluid after early amniocentesis, 157
Griffiths M.: see Batool T.
Gynaecological tuberculosis, the tubal factor, 45
Gynocheck for endometrial sampling, evaluation, 198

Haematometra, haematosalpinx and endometriosis following endometrial resection, 290
Haemoglobin concentration, maternal, following instrumental and normal delivery, 343
Haemoperitoneum, intrapartum, 179
Haemorrhage, abdominal, spontaneous idiopathic, 196
Hawkins D. F.: see Barnes D. G.
Heterotopic pregnancy presenting in the third trimester, 447
Histiocytoma, malignant fibrous, of the uterus, 209
Hooper A. A.: see Benson J. R.
Hormone replacement after endometrial cancer before age 35, 468
Hsu C.: see Ngan H. Y. S.
Hudson C. N.: see Ramrekersingh-White P.
Hunter R. W.: Intestinal obstruction in the puerperium, 257
Hypertension, pregnancy induced, stepwise logistic regression evaluation of independent prognostic factors, 419
Hypoglycaemic coma in pregnancy and herbal meditation (correspondence), 146
Hypoglycaemic coma in the puerperium as the first manifestation of an insulinoma, 182
Hysterectomy, pregnancy following, 117
Hysterectomy, video laparoscopic, with vaginal cuff fixation. A review of 10 cases, 456

Idi N.: see Quereux R.
Idrisa A., Obisesan K. A. and Adeleye J. A.: Fetal membrane sweeping for stimulation of labour in prolonged pregnancy. A controlled study, 235
Iftikhar M.: see Quinn A. J.
Igwe F.: see Warwick A.
Ihezue C. H.: see Onuminya J. E.
Immunotherapy, leucocyte, humoral immune response in early pregnancy, 77
Imrie A.: see Konje J. C.
Induction of labour in primigravid women with an unfavourable cervix, 112
Infertility in a Nigerian community, male contribution, 135
Inguinal granular cell tumour with epithelial hyperplasia, 210
Iniencephalus apertus in a twin pregnancy, 180
Insulinoma, hypoglycaemic coma in puerperium, 182
Intestinal obstruction in the puerperium, 257
Intracervical prostaglandin E_2, 0·5 mg: gel or tablet for cervical ripening and induction of labour with an unfavourable cervix?, 167
Intrahepatic cholestasis of pregnancy, 37
Intraligamentary pregnancy, 254
Intrapartum haemoperitoneum, 179
Intra-uterine growth retardation, does placenta praevia predispose?, 329
Intra-uterine pressure and the active management of labour, 433
Irons D. W. and Bullough C. H. W.: Hyperextension of the head caused by a fetus papyraceus in a monochorionic twin pregnancy, 451
Irvine L., Hardiman P. and Setchell M. E.: Spontaneous vaginal delivery following previous hindquarter amputation and chemotherapy for osteogenic sarcoma, 40
Izzard H.: see Matson P. L.

Jaffe W.: see Hartland C. C.
Jaiyesimi R., Vogt S. and Tang L.: Cervical endometriosis following cone biopsy, 144
Jayalakshmi P. and Sivanesaratnam V.: The significance of tumour associated tissue eosinophilia in invasive carcinoma of the cervix, 64
Jayalakshmi P., Thanaletchimy N. and Paramjothi P.: Liposarcoma of the vulva, 139
Jenkins D.: see Gabriel N.
Jenkins D.: see Spillane H.
Johanson R.: see Doyle M.
Johanson R. B., Wilkinson P., Bastible A., Ryan S., Murphy H., Redman C. W. E. and O'Brien P. M. S.: Health after assisted vaginal delivery: follow up of a random controlled study, 242
Johanson R. B.: see Warwick A. P.
Johnson N.: see Lilford R. J.
Johnson N.: see Onwude J. L.
Jolly D.: see Gabriel R.
Jones M. H.: see Meniru G. I.

Karam K. S.: see Awwad J. T.
Katesmark M., Olaitan A., Byrne D. and Lowy C.: Acute pituitary expansion in pregnancy secondary to lymphocytic hypophysitis, 444
Keane D.: see Byrne B. M.
Keating P. J.: see Beeby A. R.
Kehinde E., Newland C. J. and Laroia R.: Ureteric obstruction due to endometriosis, 143
Kelly P.: see Fitzpatrick C.
Kennedy C. R.: see Badawi H. I.
Kenney A.: see Chappatte O. A.
Khalil A. M.: see Awwad J. T.
Khullar S.: see Soothill P. W.
Kilpatrick D. C., Kitchin A. J. and Liston W. A.: Humoral immune response to lymphocyte antigens in early pregnancy and after leucocyte immunotherapy, 77
Kingston R. E.: see Chia K. V.
Kisson W.: see Narayansingh G. V.
Kitchin A. J.: see Kilpatrick D. C.
Kobayashi K., Tsutsumi O., Mishima M., Hayashi N., Okai T. and Taketani Y.: Elevated preload index and hydrocoele as possible diagnostic signs of fetal cardiac dysfunction, 448
Kojima T.: see Takebayashi T.
Koh B.: see Takebayashi T.
Konje J. C. and Hay D. M.: A rare complication of pregnancy in a patient with systemic scleroderma (correspondence), 296
Konje J. C., Imrie A. and Hay D. M.: Pregnancy in obese women, 413
Kulkarni R.: see Boyle A. H. W.

Labour, active management of — the Portsmouth experience, 340
Labour, absent amniotic fluid in, following spontaneous or artificial rupture of the membranes, 12

Labour, induction in primigravid women with an unfavourable cervix, with prostaglandin E_2, 112
Lampe L.: see Poka R.
Laparoscopic treatment of adnexal torsion in early pregnancy, 178
Large loop excision of the transformation zone, pregnancy outcome following, 348
Laroia R.: see Kehinde E.
Laser metroplasty, morbid placental adherence following, 180
Laser vapourisation for cervical pre-malignant conditions, use of EMLA cream, 370
Law M. R.: Postmenopausal osteoporosis — who is at risk and how do we identify them?, supplement 1, S2
Learning disability (mental handicap), assessment of fertility regulation, 473
Learning disability (mental handicap), women with referred for sterilisation, 270, 361
Ledward R. S.: see Youssif S. N. M.
Lee R. V.: see Fan Z. F.
Lee R. V. and Ying T. H.: Medically high risk pregnancy in China: experience at a provincial teaching hospital, 159
Leiomyosarcoma, vulval, presenting as recurrent Bartholin's abscess, 212
Letchworth A. T.: see Shembrey M. A.
Leucocyte immunotherapy, humoral immune response in early pregnancy, 77
Lever P.: see Baker P.
Lewis B. V.: see Timmerman D. J.
Lieberman B. A.: see Critchlow J. D.
Lieberman B. A.: see Matson P. L.
Lilford R. J., Batchelor A. and Johnson N.: Myocutaneous flaps for the treatment of stenosis of the upper vagina following radiotherapy, 52
Lim F. K.: see Morgan P. R.
Liposarcoma of the vulva, 139
Liston W. A.: see Kilpatrick D. C.
Lloyd M.: see Yacoob T.
Loke T. Y.: see Thanikasalam K.
Long M. G., Waterson E. J. and Murray-Lyon I. M. L.: Erythrocyte mean cellular volume and γ-glutamyl transferase activity in screening for alcohol abuse in women presenting with spontaneous miscarriage, 175
Long M. G. and Wingfield J. G.: Endosalpingiosis of the omentum, 293
Loop diathermy cone biopsy, outpatient, 130
Loop diathermy, correlation between colposcopic and histological diagnoses, 462
Loop diathermy and laser ablation preceded by colposcopically directed punch biopsy, 59
Lopes A.: see Morgan P. R.
Louis J.: see Macrow P. J.
Lowy C.: see Katesmark M.
Luteinising hormone, urinary, new kit for measurement, 287
Lymphocyte antigens, humoral immune response to in early pregnancy and after leucocyte immunotherapy, 77
Lymphocytic hypophysitis, acute pituitary expansion in pregnancy, 444
Ma H. K.: see Ngan H. Y. S.
Macauley J. H.: see Allman A. C. J.
McCallum K. A.: see Slade R. J.
McCartney A. J.: see Woolas R. P.
McClune S.: see Quinn A. J.
McCullough W. L.: see Barnes D. G.
McGown A. T.: see Murphy D.
McIndoe G. A. J.: see Pleming A. W.
McKenna P.: see Fitzpatrick C.
MacKenzie I. Z.: see Taylor A. V. G.
MacKenzie T. H. M.: see Barnes D. G.
Macrosomia, fetal, analysis of the possible causes of the increasing incidence, 428
Macrosomia, neonatal, obstetric complications in China, 163
Macrow P. J., Louis J. and Elstein M.: Endometriosis of the bladder; a report of eight cases, 453
Macvicar J.: see Narayan H.
Magan V.: see Fay T. N.
Maggi E.: see Pachì A.
Mahendran D.: see Rosamilia A.
Management of severe gestational proteinuric hypertension (correspondence), 297
Manasse P. R.: see Al-Sebai M. A. H.
Manning P. J.: see Beeby A. R.
Manohar S., Johanson R., Menon V., Palin A. and Clowes N.: Management of severe gestational proteinuric hypertension (correspondence), 297
Mantha U. and Tebbutt H.: Primary biliary cirrhosis and pregnancy, 177
Marceca M.: see Pachì A.
Marenah C. B.: see Coore J. R.
Mares C.: see De Catte L.
Marinho A. O.: see Edozien L. C.
Martindale A. E.: see Wilkinson A. J.
Matar K. S.: see Awwad J. T.
Maternal health services, the effect of a depressed economy on: the Nigerian experience, 311
Maternal haemoglobin concentration following instrumental and normal delivery, a comparison of changes in, 343
Mathews D. D. and Sanderson M. C.: Prolonged fetal heart rate abnormality associated with probable fetal viral infection, hydrops and subsequent cerebral palsy, 450
Matone M.: see Pachì A.
Matson P. L.: see Critchlow J. D.
Matson P. L., Troup S. A., Morroll D. R., Izzard H., Prior J., Garq V. and Lieberman B. A.: Pre-treatment of human spermatozoa with pentoxifylline to stimulate fertilisation in vitro: the need for controlled studies, 74
Matthias G. S. H. and Morgan G.: Fetal movements, maternal serum α-fetoprotein and the mode of death in unexplained stillbirth, 233
Medically high risk pregnancy in China, 159
Membrane sweeping in prolonged pregnancies, 235
Meniru G. I., Barik S. and Jones M. H.: Isolated torsion of the fallopian tube following sterilisation, 208
Mental handicap: see Learning disability.
Mesleh R., Sultan M., Sabagh T. and Algwiser A.: Umbilical cord prolapse, 24
Mesothelioma, localised fibrous, of round ligament, 140

Millar J. G. B.: see Barnes D. G.
Miller R. J.: see Sarkar P. K.
Miscarriage, emotional wellbeing following, 262
Mishima M.: see Kobayashi K.
Mitchell G. G.: see Hickling D. J.
Møller B. R.: see Thorsen P.
Møller L. M. A. and Berget A.: Prelaparotomy curettage on suspicion of ovarian cancer — a low yield procedure, 466
Monaghan J. M.: see Morgan P. R.
Montoya F.: see Barbazan M. J.
Moodley J.: see Payne A. J.
Moore J.: see Quinn A. J.
Morbid placental adherence following laser metroplasty, 180
Morgan G.: see Matthias G. S. H.
Morgan P. R., Lim K. F., Egan M. J. and Monaghan J. M.: Malignant fibrous histiocytoma of the uterus, 209
Morgan P. R., Murdoch J. B., Lopes A. and Monaghan J. M.: Histological differences in paired biopsies obtained by colposcopic directed punch biopsy and large loop excision of the transformation zone, 374
Morroll D. R.: see Matson P. L.
Mor-Yosef S.: see Ezra Y.
Morsman J. M.: see Cham C. W.
Mosaic dicentric Y chromosome, confirmation of in a female using fluorescence in situ hybridisation, 266
Murdoch J. B.: see Morgan P. R.
Murphy D., McGown A. T., Crowther D. and Fox B. W.: Glutathione content of ovarian tumour biopsies taken before or after cytotoxic chemotherapy, 126
Murphy D. J.: see Hickling D. J.
Murphy H.: see Johanson R. B.
Murray A.: see Gabriel N.
Murray-Lyon I. M. L.: see Long M. G.
Musgrove C.: see Warwick A.
Myocutaneous flaps for the treatment of stenosis of the upper vagina following radiotherapy, 52

Narayan H., Brown L. and Macvicar J.: Inguinal granular cell tumour with epithelial hyperplasia, 210
Narayansingh G.: see Ramsewak S.
Narayansingh G. V., Kisson W. and Ramsewak S. S.: Local anaesthesia for vaginal hysterectomy in a patient with second degree utero-vaginal prolapse, 73
Neonatal macrosomia and the obstetric complications of macrosomia as markers of socio-economic change in China, 163
Newland C. J.: see Kehinde E.
Newton J.: see Roy M.
Neyro J. L.: see Barbazan M. J.
Ngan H. Y. S., Hsu C., Cheung A. N. Y. and Ma-H. K.: Correlation between colposcopic and histological diagnosis of loop diathermy excised cervical lesions, 462
Nicholson S. C. and Gillmer M. D. G.: Haematometra, haematosalpinx and endometriosis following endometrial resection, 290
Nicholson S. C. and Gillmer M. D. G.: Management of postcoital pneumoperitoneum following hysterectomy, 289
Nicolaides K. H.: see Soothill P. W.
Nicolini U.: see Robson P. J.
Nisar N.: see Whitelaw N. L.
Noble W.: see Hogston P.
Nordin A. J., Bidgood K. A. and Adam A. E.: Coexistent diverticulitis and enterobius vermicularis salpingitis, 205

Obese women, pregnancy in, 413
Obisesan K. A.: see Idrisa A.
O'Brien P. M. S.: see Johanson R. B.
O'Brien P. M. S.: see Warwick A. P.
O'Brien S.: see Doyle M.
O'Connor R.: see Quinn A. J.
O'Connor R. A. and Gaughan B.: Rupture of the gravid uterus and its management, 29
Oesophagus, carcinoma of — an unusual cause of vomiting in pregnancy, 352
Oestrogens, intra-uterine exposure to: is it only a stilboestrol question?, 247
Ogeuh O.: see Byrne P.
Ogita S.: see Takebayashi T.
Okai T.: see Kobayashi K.
Olah K.: see Sharif K.
Olaitan A.: see Katesmark M.
Omentum, endosalpingiosis of the, 293
Omoregie O. P.: see Onuminya J. E.
Ong M. L.: see Raman S.
Onuminya J. E., Omoregie O. P. and Ihezue C. H.: Intrapartum haemoperitoneum, 179
Onwude J. L., Johnson N., Bark M. and Bates J.: The acceptability of transvaginal and transabdominal ultra-sound in women with first trimester bleeding, 350
Onwudiegwu U.: The effect of a depressed economy on the utilisation of maternal health services: the Nigerian experience, 295
Onwudiegwu U. and Bako A.: Male contribution to infertility in a Nigerian community, 135
Orlikowski C. E. P.: see Payne A. J.
Ornipressin in cold knife cone biopsy of the cervix, 71
Osteogenic sarcoma, spontaneous vaginal delivery following previous hindquarter amputation and chemotherapy for, 40
Osteoporosis, calcitonin in the prevention and treatment of, supplement 1, S11
Ostrzenski A.: Video laparoscopic hysterectomy with vaginal cuff fixation. A review of 10 cases, 456
Ovarian cancer, prelaparotomy curettage on suspicion of — a low yield procedure, 466
Ovarian pregnancy: incidental finding at laparoscopic sterilisation, 207
Ovaries in an XX-female, bilateral absence of: the ultimate form of XX-dysgenesis, or a separate entity?, 383
Owen D.: see Rosamilia A.
Owen P. and Chien P.: Umbilical cord blood pH and base deficit: time dependent change at room temperature (correspondence), 387

Owens J. R.: see Dutton S. J.

Pachì A., Maggi E., Ferrero A., Giancotti A., Marceca M., Matone M. and Castelli R.: Umbilical artery blood flow in pregnancies complicated by insulin-dependent diabetes mellitus, 423
Paired biopsies obtained by colposcopic directed punch biopsy and large loop excision of the transformation zone, histological differences in, 374
Paramjothi P.: see Jayalakshmi P.
Paraskevaides E. C., Hobbis J., Wrigley E. and Stone C.: Spontaneous idiopathic abdominal haemorrhage, 196
Partial zona dissection, pregnancy following, 253
Partington C. K.: see Pleming A. W.
Payne A. J., Orlikowski C. E. P., Moodley J. and Rocke D. A.: Thromboelastography as a measure of coagulation in high risk pregnant patients receiving low dose aspirin, 222
Payne E., Reed M. F., Cietak K. A., Anderson W. R. and Sant-Cassia L. J.: A comparison of prostaglandin E_2 vaginal tablets with vaginal gel for ripening the unfavourable cervix and induction of labour, 103
Pelvic inflammatory disease in pregnancy, 38
Pentalogy of Cantrell, prenatal diagnosis of, 36
Pentoxifylline pretreatment of human spermatozoa, 74
Pericardal effusion in proteinuric hypertension in pregnancy, 114
Phaeochromocytoma in late pregnancy: synchronous or delayed tumour resection after delivery by caesarean section?, 95
Pituitary expansion, acute in pregnancy, secondary to lymphocytic hypophysitis, 444
Placenta praevia, does it predispose to intra-uterine growth retardation?, 329
Planimetric ultrasound method to measure replacement of amniotic fluid after early amniocentesis, use of a, 157
Pleming A. W., McIndoe G. A. J., Partington C. K. and Soutter W. P.: Vaginal cancer concealed by the speculum, 286
Poka R., Hernadi Z. and Lampe L.: Invasive cervical carcinoma associated with pregnancy, 91
Polycystic ovarium syndrome, endometrial carcinoma associated with, 471
Pooley A.: see Whitelaw N. L.
Postcoital pneumoperitoneum following hysterectomy, management of, 289
Post dates pregnancy, membrane sweeping in, 235
Post dates pregnancy, self-selected expectant management including the use of Doppler ultrasound, 16
Postmenopausal osteoporosis, the role of calcium and exercise in the prevention of, supplement 1, S5
Postmenopausal osteoporosis — who is at risk and how do we identify them?, supplement 1, S2
Postnatal examination, routine six-week, 251
Pre-eclampsia, prediction of severity of by uteroplacental Doppler studies, 99
Pregnancy, biliary cirrhosis, primary, in, 177
Pregnancy in China, medically high risk, 159
Pregnancy following hysterectomy, 117
Pregnancy following partial zona dissection, 253
Pregnancy, intraligamentary, 254
Pregnancy, invasive cervical carcinoma associated with, 91
Pregnancy in obese women, 413
Pregnancy, late, phaecochromocytoma in, 95
Pregnancy outcome following large loop excision of the transformation zone, 348
Pregnancy, ovarian, 207
Pregnancy, pelvic inflammatory disease, in, 38
Prematurity, extreme, or pulmonary hypoplasia: the inevitable consequences of second trimester premature rupture of membranes, 320
Price J. H.: see Quinn A. J.
Primigravid women with an unfavourable cervix, induction of labour in, 112
Prior J.: see Matson P. L.
Proceedings
  British Fertility Society, 388
  Victor Bonney Society, 481
Progestagens and tibolone on bone, the effect of, supplement 1, S15
Prolapse of the umbilical cord, 24.
Proptosis, acute unilateral in labour, 256
Prostaglandin E_2 vaginal tablets, a comparison with vaginal gel for ripening the unfavourable cervix and induction of labour, 103
Proteinuric hypertension of pregnancy, pericardial effusion in, 114
Prussia P. R., Bruce A. D., Walters S. Y. and Attapattu J. A. F.: A critical review of cervical smears classified as Papanicolaou Class II between 1986 and 1989 in Barbados, 201
Puerperium, intestinal obstruction in, 257
Pyoderma gangrenosum complicating caesarean section, 115

Quereux R.: see Gabriel R.
Quinn A.: A comparison of changes in maternal haemoglobin concentration following instrumental and normal delivery, 343
Quinn A. J., McClune S., Price J. H., Iftikhar M., O'Connor R., Heasley R. N. and Moore J.: A comparison of two epidural analgesic techniques with respect to the outcome of labour, 171
Qureshi N. S., Tobin M. and Gillan J. E.: Borderline cervical cytology: a risk factor for dyskaryosis, 365

Rahamim J.: see Cham C. W.
Rahman J.: see El-Yahia A.
Rahman M. S.: see El-Yahia A.
Raman S. and Ong M. L.: Pericardal effusion in proteinuric hypertension of pregnancy, 114
Ramrekersingh-White P., Farkas A. G., Chard T. and Hudson C. N.: Self-selected expectant management of post dates pregnancy, including the use of Doppler ultrasound, 16
Ramsewak S. S.: see Narayansingh G. V.
Ramsewak B., Sieunarine B. and Narayansingh G.: Use of oral salbutamol after cervical circlage — is it justified?, 34
Rassmussen M. J.: see Flannelly G. M.

Redman C.: see Warwick A.
Redman C. W. E.: see Johanson R. B.
Reed M. F.: see Payne E.
Reginald P. W.: see Griffiths M.
Renal artery, spontaneous rupture in pregnancy, 255
Renard J.: see van Dam P. A.
Ritchie E.: see Gabriel N.
Roberts D.: see Fay T. N.
Roberts G.: see Blake J. M.
Robson P. J., Smid M., Bannerjee S., Wigglesworth J. S. and Nicolini U.: Extreme prematurity or pulmonary hypoplasia: the inevitable consequences of second trimester premature rupture of membranes, 320
Rocke D. A.: see Payne A. J.
Rodriguez Escudero F. J.: see Barbazan M. J.
Rosamilia A., Frost N., Mahendran D., Owen D. and Donnai P.: Is elevated maternal serum α-fetoprotein a prognostic indicator in pregnancy associated with systemic lupus erythematosus?, 5
Ross L. D.: see Hartland C. C.
Roy A.: see Roy M.
Roy M., Corbett J., Newton J. and Roy A.: Commentary. Assessment of fertility regulation in persons with a learning disability (mental handicap), 473
Roy M., Corbett J., Newton J. and Roy A.: Women with a learning disability (mental handicap) referred for sterilisation: assessment and follow up, 270
Roy M., Corbett J., Newton J. and Roy A.: Referrals of persons with a learning disability (mental handicap) for fertility regulation, 361
Rupture of the membranes, spontaneous, before onset of labour, 315
Ryan S.: see Johanson R. B.
Ryan P. J.: see Fogelman I.
Rymer J. M. and Fogelman I.: The effect of progestagens and tibolone on bone, supplement 1, S15

Saavala H.: see Sinikka S.
Sabagh T.: see Mesleh R.
Salbutamol, oral, after cervical circlage, 34
Salha O., Halligan A., Gleeson R. and Darling M.: Twin pregnancies: are they more common than we think?, 218
Salha O.: see Gleeson R. P.
Samueloff A.: see Ezra Y.
Sanderson M. C.: see Mathews D. D.
Sant-Cassia L. J.: see Byrne P.
Sant-Cassia L. J.: see Payne E.
Sarcoma, genital, seven year experience in a district general hospital, 282
Sarkar P. K., Miller R. J. and Hill L.: Counselling at a colposcopy clinic and the emotional well-being of women with a positive smear, 459
Sarkar P. K., Williams J. H. and Davies-Humphreys J.: A double blind placebo-controlled trial of EMLA cream for the relief of pain associated with laser vapourisation for cervical pre-malignant conditions, 370
Scott F.: see Smith R. N. J.
Selby C.: see Coore J. R.
Sellers S.: see Taylor A. V. G.
Sepulveda W. H.: see Vinals F.
Serum α-fetoprotein and systemic lupus erythematosus in pregnancy, 5
Setchell M. E.: see Irvine L.
Sharif K., Clarke P. and Whittle M.: Routine six-week postnatal examination: to do or not to do?, 251
Sharif K., Gee H. and Bombiere L.: Pelvic inflammatory disease in pregnancy, 38
Sharif K., Olah K. and Gee H.: Umbilical cord blood pH and base deficit: time dependent change at room temperature, 107
Sharif K. and Whittle M.: Routine antenatal fetal heart rate auscultation: is it necessary?, 111
Sharif K. W.: Umbilical blood pH and base deficit (correspondence), 387
Shembrey M. A. and Letchworth A. T.: The management of breech presentation in a district general hospital, 437
Shepherd J. H.: see Farkas A. G.
Sieunarine B.: see Ramsewak S.
Sihvo S., Hemminki E. and Saavala H.: Intra-uterine exposure to oestrogens: is it only a stilboestrol question?, 247
Sims P. F.: see Beeby A. R.
Sims P. F.: see Feyi-Waboso P. A.
Sivanesaratnam V.: see Jayalakshmi P.
Slade R. J., McCallum K. A. and Ellis J. D.: Endometrial resection after GnRH analogue therapy — a possible new treatment for fibromyomata, 69
Small bowel volvulus in the puerperium, 183
Smart R., Spelman F. and van der Spuy Z. M.: Confirmation of a mosaic dicentric Y chromosome in a female using fluoresence in situ hybridisation, 266
Smid M.: see Robson P. J.
Smith A. M.: Genital sarcoma: seven year experience in a district general hospital, 282
Smith R. N. J., Scott F. and Coltart T. M.: A strategy to prevent excess fluid absorption in trans-cervical endometrial resection, 47
Smoking and alcohol consumption in early pregnancy, 215
Soothill P. W., Khullar V., Campbell S. and Nicolaides K. H.: Prediction of the severity of pre-eclampsia by utero-placental Doppler studies, 99
Soutter W. P.: see Pleming A. W.
Spelman F.: see Smart R.
Spillane H. and Jenkins D.: Routine crossmatching is not necessary for all caesarean sections, 238
Spontaneous (preterm and term) rupture of the membranes before the onset of labour, consultant management polices for, 315
Sporrong B.: Bilateral absence of ovaries in an XX-female: the ultimate form of XX-dysgenesis, or a separate entity?, 383
Stenoses of the upper vagina following radiotherapy, myocutaneous flaps for treatment, 52
Stevenson J. C.: Calcitonin in the prevention and treatment of osteoporosis, supplement 1, S11
Stillbirth, unexplained, fetal movements, maternal serum α-fetoprotein, and cause of death, 233

Stock A., Harries S. and Erskine K. J.: Spontaneous renal artery rupture in pregnancy, 255
Stomatitis, cyclical ulcerative responding to danazol treatment, 141
Stone C.: see Paraskevaides E. C.
Stratton J., Bonnar J. and Turner M. J.: Paroxysmal nocturnal haemoglobinuria in pregnancy, 254
Stress incontinence, genuine, urethrocliesis, 259
Stronge J. M.: see Byrne B. M.
Stronge J. M.: see Flannelly G. M.
Stronge J. M.: see Wingfield M.
Suidan F. J.: see Awwad J. T.
Sultan M.: see Mesleh R.
Sutherland A. M.: The tubal factor in gynaecological tuberculosis, 45
Sutton C. J. G.: see Whitelaw N. L.
Systemic lupus erythematosus in pregnancy, maternal serum α-fetoprotein and prognosis, 5
Systemic scleroderma, rare complication of pregnancy in a patient with (correspondence), 296

Takebayashi T., Fujino Y., Kojima T., Koh B. and Ogita S.: Clinical application of a new kit for the rapid quantitative measurement of urinary luteinising hormone in the urine of women with normal ovulatory cycles, 287
Taketani Y.: see Kobayashi K.
Tang L.: see Jaiyesimi R.
Tarrant M. J. and Gordon H.: Pregnancy outcome following large loop excision of the transformation zone, 348
Taylor A. V. G., Sellers S., Ah-Moye M. and McKenzie I. Z.: A prospective random allocation trial to compare vaginal prostaglandin E with intravenous oxytocin for labour in women previously delivered by caesarean section, 333
Tebbutt H.: see Mantha U.
Thanaletchimy N.: see Jayalakshmi P.
Thanikasalam K. and Loke T. Y.: Dysgerminoma — a 10 year retrospective study of clinical features and mode treatment, 378
Thomas C. A. and van der Spuy Z. M.: Endometrial carcinoma associated with polycystic ovarian syndrome, 471
Thomas E. J.: see Coxhead D.
Thorsen P., Moller B. R. and Ahrons S.: GnRH-agonist in the treatment of fibromyomata of the uterus, 68
Thromboelastography as a measure of coagulation in high risk patients receiving low dose aspirin, 222
Tibolone and progestagens on bone, effect of, supplement 1, S15
Timmerman D. J. and Lewis B. V.: Laparoscopic treatment of an ectopic pregnancy in an undescended fallopian tube, 291
Tobin M.: see Qureshi N. S.
Trans-cervical endometrial resection, a strategy to prevent excess fluid absorption in, 47
Transvaginal and transabdominal ultrasound in women with first trimester bleeding, the acceptability of, 350
Travagli S.: see Vesce F.
Troup S. A.: see Matson P. L.
Tsutsumi O.: see Kobayashi K.
Tuberculosis, gynaecological, the tubal factor, 45
Turner M. J.: see Flannelly G. M.
Turner M. J.: see Stratton J.
Turner M. J.: see Wingfield M.
Twin pregnancies: are they more common than we think?, 218
Twin pregnancy, monochorionic — hyperextension of the head caused by a fetus papyraceus in, 451

Ultrasound, planimetric method to measure replacement of amniotic fluid after early amniocentesis, 157
Ultrasound, transabdominal and transvaginal, after first trimester bleeding, 350
Umbilical artery Doppler waveform analyses in small for dates fetuses, 227
Umbilical cord blood pH and base deficit: time dependent change at room temperature, 107, 387
Umbilical cord haematoma in a sibling, recurrence of, 115
Umbilical cord prolapse, 24
Unexplained stillbirth, fetal movements and maternal serum α-fetoprotein and cause of death, 233
Unwin A.: see Yacoob T.
Ureteric obstruction due to endometriosis, 143
Urethrocliesis: a treatment for genuine stress incontinence?, 259
Urinary luteinising hormone, clinical application of a new kit for the rapid quantitative measurement of in the urine of women with normal ovulatory cycles, 287
Uterine prolapse with associated urinary tract abnormalities, hysterosacropexy for, 358
Uterine rupture in pregnancy caused by blast injury with fetal survival, 448
Uterus, malignant fibrous histiocytoma of, 209
Uterus, rupture of in Dublin: an update, 440
Uterus, rupture of the gravid, 29

Vacuum extractor cups, soft, for assisted delivery, 337
Vaginal cancer concealed by the speculum, 286
Vaginal cast, 206
Vaginal delivery, health after assisted: follow up of a random controlled study, 242
Vaginal examination, routine six-week postnatal: to do or not to do?, 251
Vaginal hysterectomy in a patient with second degree utero-vaginal prolapse, local anaesthesia for, 73
Vaginal hysterectomy. Study of early discharge and implications, 355
Vaginal prostaglandin E_2, a prospective random allocation trial to compare with intravenous oxytocin for labour induction in women previously delivered by caesarean section, 333
van Dam P. A., de Neubourg D. Renard J. and Buytaert P.: Laparoscopic treatment of adnexal torsion in early pregnancy, 178
van der Spuy Z. M.: see Smart R.
van der Spuy Z. M.: see Thomas C. A.
Vasoconstrictors, does routine use reduce the morbidity of cold knife cone biopsy?, 202
Vazquez J. A.: see Garcia-Sanchez J.

Verjans M.: see De Catte L.
Vesce F., Travagli S., Farina A. and Cocilovo G.: Evaluation of independent prognostic factors in pregnancy induced hypertension using a stepwise logistic regression, 419
Victor Bonney Society, proceedings of, 481
Vinals F., Sepulveda W. H. and Brandell L.: Iniencephalus apertus in a twin pregnancy, 180
Volvulus, small bowel, in the puerperium, 183
Vogt S.: see Jaiyesimi R.
Vulval aggressive angiomyxoma masquerading as a simple labial cyst, 385
Vulval dystrophy: Evening primrose oil, a possible new treatment for, 193
Vulval leiomyosarcoma presenting as a recurrent Bartholin's abscess, 212

Wada I.: see Critchlow J. D.
Wadehra V.: see Beeby A. R.
Wagstaff T. I.: see Beeby A. R.
Wahl P.: see Gabriel R.
Walters S. Y.: see Prussia P. R.
Warwick A., Ferryman S., Musgrove C. and Redman C.: An evaluation of the Gynocheck for endometrial sampling, 198
Warwick A., Redman C., Igwe F., Abukhalil I. and Chenoy R.: Does the routine use of vasoconstrictors reduce the morbidity of cold knife cone biopsy? Results of a prospective random allocation trial, 202
Warwick A. P., Doyle P. M., Geetha T., Wilkinson P., Johanson R. B. and O'Brien P. M. S.: A random allocation comparison of silicone and santoprene soft vacuum extractor cups for assisted delivery, 337
Webber C. E.: see Blake J. M.
Wei C. Y.: see Fan Z. F.
Weinstein D.: see Ezra Y.
Whitelaw N. L., Nisar N., Pooley A. and Sutton C. J. G.: Morbid placental adherence following laser metroplasty, 180
Whittle M.: see Sharif K.
Wigglesworth J. S.: see Robson P. J.
Wildsmith P. H.: see Chia K. V.
Wilkinson A. J. and Martindale E. A.: Cyclical ulcerative stomatitis responding to danazol treatment, 141
Wilkinson P.: see Johanson R. B.
Wilkinson P.: see Warwick A. P.
Williams J. H.: see Sarkar P. K.
Wilson E. M. J.: see Beeby A. R.
Wilson J.: see Byrne P.
Wilson P. O. G.: see Carter P. G.
Wingfield J. G.: see Long M. G.
Wingfield M., Turner M. J. and Stronge J. M.: Significance of absent amniotic fluid in labour following spontaneous or artificial rupture of the membranes, 12
Wood A.: see Baker P.
Woodhouse R. J.: see Farkas A. G.
Woolas R. P., Hammond I. G. and McCartney A. J.: Endometrial cancer before age 35 and subsequent use of hormone replacement therapy, 468
Wrigley E.: see Paraskevaides E. C.

Xin W.: see Fan Z. F.
Xiou Z. Y.: see Fan Z. F.

Yacoob T., Lloyd M., Unwin A. and Harrison R. F.: Intracervical prostaglandin E_2, 0·5 mg: gel or tablet for cervical ripening and induction of labour with an unfavourable cervix?, 167
Ying T. H.: see Lee R. V.
Yoong W. C., Dave K. C., Emens J. M. and Beattie R. B.: Does placenta praevia predispose to intra-uterine growth retardation? A case control study, 329
Youssif S. N. M. and Ledward R. S.: Vaginal hysterectomy. Study of early discharge and implications, 355

Zajicek G.: see Ezra Y.
Zona dissection, partial, pregnancy following, 253

ol. 13/No. 6

ical ulcera-
tment, 141

ge J. M.:
labour fol-
ure of the

rtney A. J.:
sequent use

rison R. F.:
gel or tablet
bour with an

d Beattie R.
intra-uterine
y, 329
nal hysterec-
ications, 355

ing, 253